


































































Part # (Export)	Part Name	Illustration	Note	Weight
101	Body			290g
102	Ornament plate			18g
105	Transparent plate			1g
106	Pressure Knob			2g
107	Reel Unit		Standard 3 inch (76mm)	40g
111	Transformer 100V			520g
112	Transformer 220V			520g
113	Screw (4* 8) (For fix base & transformer)			1g
114	Nut with washer (4mm)			3g
115	Base			260g
116	Rubber feet			2g












Part # (Export)	Part Name	Illustration	Note	Weight
118	Power switch			5g
120	Fuse (1A)			2g
121	Fuse holder			6g
124	Center plate			55g
136	Separating roller unit		Rod + 138 rubber ring X 10 pcs (Unit)	60g
138	Separating roller ring		Rubber ring only (Need Reguler replacement)	2g
141	Roller shaft			2g
142	Screw (3*20) (For fix S.roller unit)			1g
146	Bearing			1g
150	Screw (3*25) (For fix feed roller)			1g
154	Press roller			10g












Part # (Export)	Part Name	Illustration	Note	Weight
155	Press roller collar			1g
161	Cutter holder spring			3g
164	Roller spring			2g
178	Earth spring			2g
182	Flat revet			1g
187	Cut motor (Yellow & Blue line)		Need regular replacement	62g
200	Connector 4			10g
204	Pinion gear			1g
205	Power cord (2 wire, 2 flat pin)		2 wire, 2 flat pin	68g
206	Power cord (3 wire, W/O plug)		3 wire, W/O plug	170g
215	Cover for non contact			3g










Part # (Export)	Part Name	Illustration	Note	Weight
228	Screw (3*8) (For fix front holder)			1g
229	Screw (3*14) (For fix control panel)			1g
230	Screw (2.6*3) (For fix motor, Gold colour)			1g
231	Screw (3*10A) (For fix cutter gear cover)			1g
232	Screw (3*5) (For fix cutter spring)			1g
233	Screw (3*8) (For fix body, Black colour)			1g
234	Screw (3*8) (For fix earth)			2g
237	Screw (4*6) (For fix gear unit)			1g
245	Auto button			5g
246	"cm" Button			2g
247	"mm" Button			2g

Part # (Export)	Part Name	Illustration	Note	Weight
248	"Cut" Button			2g
249	"Feed" Button			2g
250	"20" Button			2g
251	"Reverse" Button			2g
254/5	Cutter set (Upper & Lower)		Special coated long lasting blade (Aprx life 200,000 cuts) Need regular replacement	42g
256	Cutter stop shaft			2g
527	Cutter spring		Need regular replacement	12g
258	Cutter liner (Right)		Need regular replacement	1g
259	Cutter liner (Left)		Need regular replacement	1g
312	Feed roller 2			186g

Part # (Export)	Part Name	Illustration	Note	Weight
403	Flat gear 15			5g
404	Flat gear 16			2g
406	Flat gear shaft 14			1g
407	Flat gear shaft 13			3g
408	Collar 2			6g
418	Gear unit			90g
421	Flat Gear 11			5g
422	Flat Gear 12			5g
423	Flat Gear 13			4g
424	Flat Gear 14			4g
427	Feed roller gear 3			5g

Part # (Export)	Part Name	Illustration	Note	Weight
428	Screw (4*8) (For fix gear cover)			1g
430	Separating roller gear			2g
431	Cutter gear 2 unit			12g
433	Cutter part gear cover 2 unit			105g
435	Feed motor (Red & Brown line)		Need regular replacement	75g
501	Side plate (Left)			155g
502	Side plate (Right)			175g
503	Separating roller holder			5g
504	PCB			140g
507	Cutter holder 2 (Plastic frame only)			26g
508	Cutter holder unit 2 (Plastic frame + cutter)			80g

Part # (Export)	Part Name	Illustration	Note	Weight
512	E-ring			1g
513	Roller press shaft 2			3g
514	Hexagon nut			2g
515	Roller press plate 2			15g
517	Roller press unit 2			15g
518	Front holder unit 3 (frame + motor)			222g
519	Front holder 3 (Plastic frame only)			45g
520	Cut lever press 2			10g
521	Cut lever liner 2			20g
522	Cut lever collar			2g
523	Cut lever unit 2			23g

Part # (Export)	Part Name	Illustration	Note	Weight
524	Open spring			1g
525	Open knob			7g
524	Open set			8g
527	Pinion gear stopper			2g
528	Pinion gear unit 2			10g
533	Separating roller holder unit			66g
550	Auto feed cutter unit (MA-1000)		Need regular replacement	125g
555	Sensor cover (Plastic frame only)			10g
560	Sensor unit (frame + sensor)			35g
108	1 inch reel		For 1inch (2.54mm)	
289	Silicon oil			
534	Magnet tape guide		For thin tape guide	
615	31mm Reel		Special made reel	
	Rel for M-3000	75mm width reel		
	Reel stand 35		Need M-3000 reel	
	Reel stand 24			
	Low-ad attachment		Low adhesive tape guide	